

Content-Type: multipart/signed; protocol="application/x-pkcs7-signature";  
micalg=SHA1; boundary="-----\_NextPart\_000\_0008\_01CF2314.2C415170"

-----\_NextPart\_000\_0008\_01CF2314.2C415170

Content-Type: multipart/alternative;  
boundary="-----\_NextPart\_001\_0009\_01CF2314.2C415170"

-----\_NextPart\_001\_0009\_01CF2314.2C415170

Content-Type: text/plain;  
charset="us-ascii"  
Content-Transfer-Encoding: 7bit

Bill,

I appreciate the response and look forward to the information.

I spoke with Ex. 6 - Personal Privacy WV American Water - Water Quality Specialist and  
Ex. 6 - Personal Privacy Operations Officer yesterday evening, and they reviewed their  
stage two testing protocols with me.

They are scheduled to conduct stage two sample collection on Monday and they  
will take additional samples at the stage two locations for testing for MCHM  
and PPh.

I will also discuss with Walt and JD today.

I look forward to receiving the additional information from you when you  
have the opportunity.

I will be working with Interagency partners in the near future in my normal  
capacity as CBRN Response Enterprise Program Director to develop lessons  
learned from this event to include gap analysis and potential doctrine and  
education development across the Interagency community.

Thanks

Mike

Mr. Michael Kitts, MEP

CBRN Enterprise Program Director

Joint Interagency Training and Education Center (JITEC)

Military Personnel Services Corporation - Contractor

Office 304-201-3116

Mobile 304-553-5438

From: Arguto, William [mailto:Arguto.William@epa.gov]  
Sent: Thursday, February 06, 2014 7:34 AM  
To: Kitts, Michael R NFG (US)  
Subject: Zone Testing

Mike

It was a pleasure meeting with you yesterday and I really appreciate all of the hard work the guard has done in support of the State and getting the drinking water distribution system sampled and helping restoring confidence in the quality of the water.

I mentioned the stage two regulation which is part of a group of rules to look at disinfection byproducts (DBPs) The rule required the water systems to determine the oldest age of water in a system and sample at different points in the system in order to monitor for DBP formation.

This could be a starting point but probably only provides a limited set of locations. I would recommend discussing with JD Douglas and Walt Ivey. JD is part of the Area Wide Optimization Program and knows treatment and this system well. Also important from my brief discussions with WV Am water would to include them in the discussion. Their system is quite complex with many pressure zones which would be important in determining a monitoring plan.

When I get back to the office I will send you more on Stage two. I think that rule would be a good place to start but would need input from the State

and system operators to enhance

Thanks

Bill

-----=\_NextPart\_001\_0009\_01CF2314.2C415170

Content-Type: text/html;  
charset="us-ascii"

Content-Transfer-Encoding: quoted-printable

```
<html xmlns:v=3D"urn:schemas-microsoft-com:vml" =
xmlns:o=3D"urn:schemas-microsoft-com:office:office" =
xmlns:w=3D"urn:schemas-microsoft-com:office:word" =
xmlns:m=3D"http://schemas.microsoft.com/office/2004/12/omml" =
xmlns=3D"http://www.w3.org/TR/REC-html40"><head><meta =
http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Dus-ascii"><meta name=3DGenerator content=3D"Microsoft Word 12 =
(filtered medium)"><style><!--
/* Font Definitions */
@font-face
    {font-family:"Cambria Math";
    panose-1:2 4 5 3 5 4 6 3 2 4;}
@font-face
    {font-family:Calibri;
    panose-1:2 15 5 2 2 2 4 3 2 4;}
@font-face
    {font-family:Tahoma;
    panose-1:2 11 6 4 3 5 4 4 2 4;}
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal
    {margin:0in;
    margin-bottom:.0001pt;
    font-size:11.0pt;
    font-family:"Calibri","sans-serif";}
a:link, span.MsoHyperlink
    {mso-style-priority:99;
    color:blue;
    text-decoration:underline;}
a:visited, span.MsoHyperlinkFollowed
    {mso-style-priority:99;
    color:purple;
    text-decoration:underline;}
span.EmailStyle17
    {mso-style-type:personal;
    font-family:"Calibri","sans-serif";
    color:#1F497D;
    font-weight:normal;
    font-style:normal;}
```

span.EmailStyle18  
    {mso-style-type:personal-reply;  
    font-family:"Calibri","sans-serif";  
    color:#1F497D;}

.MsoChpDefault  
    {mso-style-type:export-only;  
    font-size:10.0pt;}

@page WordSection1  
    {size:8.5in 11.0in;  
    margin:1.0in 1.0in 1.0in 1.0in;}

div.WordSection1  
    {page:WordSection1;}

--></style><!--[if gte mso 9]><xml>  
<o:shapedefaults v:ext=3D"edit" spidmax=3D"1026" />  
</xml><![endif]><!--[if gte mso 9]><xml>  
<o:shapelayout v:ext=3D"edit">  
<o:idmap v:ext=3D"edit" data=3D"1" />  
</o:shapelayout></xml><![endif]></head><body lang=3DEN-US link=3Dblue =  
vlink=3Dpurple><div class=3DWordSection1><p class=3DMsoNormal><span =  
style=3D'color:#1F497D'>Bill,<o:p></o:p></span></p><p =  
class=3DMsoNormal><span =  
style=3D'color:#1F497D'><o:p>&nbsp;</o:p></span></p><p =  
class=3DMsoNormal><span style=3D'color:#1F497D'>I appreciate the =  
response and look forward to the information.<o:p></o:p></span></p><p =  
class=3DMsoNormal><span =  
style=3D'color:#1F497D'><o:p>&nbsp;</o:p></span></p><p =  
class=3DMsoNormal><span style=3D'color:#1F497D'>I spoke w Ex. 6 - Personal Privacy =  
W American Water &#8211; Water Quality Specialist ar Ex. 6 - Personal Privacy =  
&#8211; Operations Officer yesterday evening, and they reviewed =  
their stage two testing protocols with me.<o:p></o:p></span></p><p =  
class=3DMsoNormal><span =  
style=3D'color:#1F497D'><o:p>&nbsp;</o:p></span></p><p =  
class=3DMsoNormal><span style=3D'color:#1F497D'>They are scheduled to =  
conduct stage two sample collection on Monday and they will take =  
additional samples at the stage two locations for testing for MCHM and =  
PPh. <o:p></o:p></span></p><p class=3DMsoNormal><span =  
style=3D'color:#1F497D'><o:p>&nbsp;</o:p></span></p><p =  
class=3DMsoNormal><span style=3D'color:#1F497D'>I will also discuss with =  
Walt and JD today.<o:p></o:p></span></p><p class=3DMsoNormal><span =  
style=3D'color:#1F497D'><o:p>&nbsp;</o:p></span></p><p =  
class=3DMsoNormal><span style=3D'color:#1F497D'>I look forward to =  
receiving the additional information from you when you have the =  
opportunity.<o:p></o:p></span></p><p class=3DMsoNormal><span =  
style=3D'color:#1F497D'><o:p>&nbsp;</o:p></span></p><p =  
class=3DMsoNormal><span style=3D'color:#1F497D'>I will be working with =  
Interagency partners in the near future in my normal capacity as CBRN =  
Response Enterprise Program Director to develop lessons learned from =  
this event to include gap analysis and potential doctrine and education =  
development across the Interagency community.<o:p></o:p></span></p><p =  
class=3DMsoNormal><span =  
style=3D'color:#1F497D'><o:p>&nbsp;</o:p></span></p><p =  
class=3DMsoNormal><span style=3D'color:#1F497D'>Thanks =  
<o:p></o:p></span></p><p class=3DMsoNormal><span =  
style=3D'color:#1F497D'><o:p>&nbsp;</o:p></span></p><p =  
class=3DMsoNormal><span =  
style=3D'color:#1F497D'>Mike<o:p></o:p></span></p><p =

Mr. Michael Kitts, MEP  
CBRN Enterprise Program Director  
Joint Interagency Training and Education Center (JITEC)  
Military Personnel Services Corporation - Contractor  
Office 304-201-3116  
Mobile 304-553-5438

From: Arguto, William [mailto:Arguto.William@epa.gov]  
Sent: Thursday, February 06, 2014 7:34 AM  
To: Kitts, Michael R NFG (US)  
Subject: Zone Testing

Mike

It was a pleasure meeting with you yesterday and I really appreciate all of the hard work the guard has done in support of the State and getting the drinking water distribution system sampled and helping restoring confidence in the quality of the water.

I mentioned the stage two regulation which is part of a group of rules to look at disinfection byproducts (DBPs). The rule required the water systems to determine the oldest age of water in a system and sample at different points in the system in order to monitor for DBP formation.

This could be a starting point but probably only provides a limited set of locations. I would recommend discussing with JD Douglas and Walt Ivey. JD is part of the Area Wide Optimization Program and knows treatment and this system well. Also important from my brief discussions with WV Am water would to include them in the discussion. Their system is quite complex with many pressure zones which would be important in determining a monitoring plan.

When I get back to the office I will send you more on Stage two. I think that rule would be a good place to start but would need input from the State



ViVbi8y/gV5hLDA50yEwOgYDVR0fBDMwMTAvoC2gK4YpaHR0cDovL2Nybc5kaXNhLm1pbC9jcmwv  
RE9ERU1BSUxDQV8zMC5jcmwWdgYDVR0PAQH/BAQDAgUgMCMGA1UdIAQcMBowCwYJYIZIAWUC  
AQsJ  
MAsGCWCGSAFIAGLEZAdBgNVHQ4EFgQUuqSotW7Dq1f20GAXcgbkezePvytYwaAYIKwYBBQUHAQ  
EE  
XDBaMDYGCCsGAQUFBzAChipodHRwOi8vY3JsLmRpc2EubWlsL3NpZ24vRE9ERU1BSUxDQV8zMC5  
j  
ZXIwIAYIKwYBBQUHMAGGFgh0dHA6Ly9vY3NwLmRpc2EubWlsMCQGA1UdEQQdMBuBGW1pY2hhZ  
Wwu  
a2I0dHNAdXMuYXJteS5taWwwGwYDVR0JBbQwEjAQBggrBgEFBQcJBDEEEwJVUzANBgkqhkiG9w0B  
AQUFAAOCAQEAR04XExCs4RHaWM0Ndr1DqPsDyiX2nMVUeQ9Ueq51I56idncr1v4wor53NvEvBMxv  
1vVMk4LIGQ9ImZUg0SH8M/cbCEfMKN0wirSTcNYFGg0sJxpnNiUIWYAVVhqiHGol+CcysF+V1f2  
Nf82cdgKhhd+lzkxRWep0iC8nkQ7rzuwi6zAVTY3nn+CcSVSwiqkgWSlo06j/REIvn30yRjrwo5  
Ofy5fRm5M03nrxKfUF1OeNr42jRROhL4iU6gQ/54GRjjKEck/bN3VTA+uEyJCfwWe+6k7TwiMmy  
4ICWslEcbXhpbqW6kf1n38wgc2iM+HB8k4plZv/cQ1eK42EoFijCCBQEWggPpoAMCAQICA0DPqzAN  
BgkqhkiG9w0BAQUFADBdMQswCQYDVQQGEwJVUzEYMBYGA1UEChMPVS5TLiBHb3Zlcm5tZW50M  
Qww  
CgYDVQQLLEwNEb0QxDDAKBgNVBAsTA1BLSTEYMBYGA1UEAxMPRE9EIEVNQUIMIENBLTMwMB4  
XDTEz  
MDgwODAwMDAwMFOXDTE2MDgwNzIzNtk1OVoweDELMAkGA1UEBhMCVVMxGDAWBgNVBAoTD1  
UuUy4g  
R292ZXJubWVudDEMMAoGA1UECXMdRG9EMQwwCgYDVQQLLEwNQS0kxDDAKBgNVBAsTA1VTQT  
EIMCMG  
A1UEAxMcS0IUVFMuTUIDSEFFTC5SQVkuMTA1MDUyNzQ4MDCCASlwdQYJKoZlHvcNAQEBBQADg  
gEP  
ADCCAQoCggEBAM8vg/UHpCtQllapkyspwjcwJef8Irot5f8R68U1a2b3mTf5VnFwJGqItprsDfwe  
rq9LNp6DVOjkilAoW8MndHeBqJ6wXBcsk6lEst4H5/oQZLIgQ2ZjmeHi44uw7FZ6HTQ6aEEJiqop  
LrFAmTdVf+Ng4LOGv6GOgdKtXLKexF3k/6e6xpXZXvgUgaEySDGsB8+FFDLI9YDbjCSpQHqe7dWw  
xZ9XW0AASesmkVAFiiH1AOWAGIB6oWF0UyKv2d8sSg5Ypz/iRksewepkUA6ykHiF9H3spEw9Etq8  
FMPiI1QbGI08b626NxxJ+OZQFIKy26vtRF99EThm3WrFm4AntTQcCAwEAAoCAa0wggGpMB8GA1Ud  
lwQYMBaAFDVhZigJvFYIw4vMv4FeYSwwOdMhMDoGA1UdHwQzMDEwL6AtoCuGKWh0dHA6Ly9jcm  
wu  
ZGIzYS5taWwvY3JsL0RPREVNQUIMQ0FfMzAuY3JsMA4GA1UdDwEB/wQEAWIGwDAjBgNVHSAEHDA  
a  
MAsGCWCGSAFIAGELCTALBgIghkgBZQIBCxMwHQYDVR0OBBYEFdy8H3Yib8g4/LD5ReOtjlad6Dnl  
MGgGCCsGAQUFBwEBBFwwWjA2BgggrBgEFBQcwoAoYqaHR0cDovL2Nybc5kaXNhLm1pbC9zaWduL0  
RP  
REVNQUIMQ0FfMzAuY2VyMCAGCCsGAQUFBzABhhRodHRwOi8vb2NzcC5kaXNhLm1pbDBEBGNVH  
REE  
PTA7gRltaWNoYWVsLmtpdHRzQHvZLmFybXkubWlsoB4GCisGAQQBgjcUAgoEAWOMTA1MDUyNzQ  
4  
MEBtaWwwGwYDVR0JBbQwEjAQBggrBgEFBQcJBDEEEwJVUzApBgNVHSUElJAgBgorBgEEAYI3FAI  
C  
BggrBgEFBQcDAgYIKwYBBQUHAwQwDQYJKoZlHvcNAQEFBQADggEBAFYsqsU+Z26aurP2LYa76Jh  
b  
lsqh0fOj4hJtdIM+WXS+QGETC7UeohNAT3aPAgHXy8glQ2qzYf5OjXB/xm/48rGStMrVMLpkQmJV  
55ypKY6oOJFicznP3WOZ19w9sNAhWfEOUUG51tPXih0ocMICxsiaJ7BK8ZN1NUaWrmo6q1J5b250  
/xT5Yf0tSc4yJMEfkawpFvUeGm9GkuU3zNxyqtUoKrQGkyLBawifN3vyKj2vWTCbXtmOSjKtNtj  
f8xB8zSXf3ri6kbOxxwW5AcJemtelLHIIWHqatIQmyoILTIXbsoFyER9FZrkYSH/wVq7hcRU5huS  
8A2h45JYEy10HUQwggVSMIIEOqADAgEAgIBuTANBgkqhkiG9w0BAQUFADBbMQswCQYDVQQGEw  
JV  
UzEYMBYGA1UEChMPVS5TLiBHb3Zlcm5tZW50MQwwCgYDVQQLLEwNEb0QxDDAKBgNVBAsTA1BL  
STEW  
MBQGA1UEAxMNRG9EIFjvb3QgQ0EgMjAeFw0xMTA5MDgxNjAzMDhaFw0xNzA5MDgxNjAzMDhaMF  
0x  
CzAJBgNVBAYTAIVMRgwFgYDVQQKEw9VLIMuIEdvdmVybm1lbnQxDDAKBgNVBAsTA0RvRDEMMA

oG  
A1UECxMDUEtJMRgwFgYDVQQDEw9ET0QgRU1BSUwgQ0EtMzAwggEiMA0GCSqGSib3DQEBAQUA  
A4IB  
DwAwggEKAoIBAQMkSLUFCbRmBpSXsWEg3N+wWCzs9CUvv0cIFW/9oQsm8nAdHPvzMKZ8pnJbc  
oU  
03T/vhDy9y2/y7sGo+6YUEFIAeFXLLbL5MocrH5SNA6xjgcmPj1r6NhCsXICLYSeYxUwXrp8VAf  
XYM6ZzCzKdsdOkw5IVDYGCyNBnXuY3J4aK1inHWklAbTMmsSrwyHk4ToMCn8CVPt/4ft1fgGBKN  
IWoVuVpU+3dl2Ew/9bo8wDfhBn7Cvp4jjCjRmtfGZzjXc8m9Bx2Fb9WVCprc2jpOKPCL6wnf5dsL  
zUevis27b5RA41mcUJ/JDqlxArnc6WmA0ok7RQUiGAWEtRLWPMCBAGMBAAGjgglcMIICGDAOBgNV  
HQ8BAf8EBAMCAYYwHwYDVR0jBBgwFoAUSXS7DF66ev4CVO97oMaVxgmAcJYwHQYDVR0OBBYE  
FDVh  
ZigJvFYIW4vMv4FeYSwwOdMhMBIGA1UdEwEB/wQIMAYBAf8CAQAwDAYDVR0kBAUwA4ABADBmBg  
NV  
HSAEXzBdMAsGCWCGSAFIAGELBTALBglghkgBZQIBCwkwCwYJYIZIAWUACAQsRMAsGCWCGSAFIA  
gEL  
EjALBglghkgBZQIBCxMwDAYKYIZIAWUDAgEDGjAMBgpghkgBZQMCAQMbMDcGA1UdHwQwMC4wL  
KAq  
oCiGJmh0dHA6Ly9jcmwuZGZYS5taWwvY3JsL0RPRFJPT1RDQTluY3JsMIIlBAQYIKwYBBQUHAQEE  
gfQwgfEwOgYIKwYBBQUHMAKGLmh0dHA6Ly9jcmwuZGZYS5taWwvvaXNzdWVkdG8vRE9EUK9PVEN  
B  
MI9JVC5wN2MwIAYIKwYBBQUHMAGGFgh0dHA6Ly9vY3NwLmRpc2EubWlsMIGQBgggBgEFBQcwAoA  
B  
g2xkYXA6Ly9jcmwuZ2RzLmRpc2EubWlsL2NuJTNkRG9EJTIwUm9vdCUyMENBJTIwMiUyY291JTNk  
UEtJTTJjb3UIM2REb0QIMmNvJTNkVS5TLiUyMEdvdmVybm1lbnQIMmNjJTNkVVM/Y3Jvc3NDZXJ0  
aWZpY2F0ZVBhaXl7YmluYXJ5MA0GCSqGSib3DQEBBQUAA4IBAQAkiFYcpVcmWmLLddDhsVS4i/z  
vBFkP4wvPhH8mGBA8oANKIKaaP7gSEsn0zoKe5X2AwyBFJFCOMBs4itTLezfEa71VBfWafmXB6eb  
qwvbrJeJCcbv+Qc0FgCofhFTnnwvoTiimXk5NEFufbhYMFalnuSqZEXZoERiOrfIMdORgPEbELJn  
cNVbq1m0WkgWQsQCTNpsaMpQHTG+N5nHz1PMQilWw50XygPnEFrxOTwczPsbIwom8zHf4KtcJJ2e  
3jh9AlFnRvmTclXtCIXC9MFoWp8lyR17m3bcVO85jBjIDETu9wayH/XL5g691KH/1PmRByJSebFA  
/eyy+IXORPtcMYIDQTCCAzoCAQEWZDBdMQswCQYDVQQGEwJVUzEYMBYGA1UEChMPVS5TLiBhb3Zlcm5tZW50MQ  
3ZI  
cm5tZW50MQwwCgYDVQQLEwNEb0QxDDAKBgNVBAStA1BLSTEYMBYGA1UEAxMPRE9EIEVNQU  
MIENB  
LTMwAgNAz6swCQYFKw4DAhoFAKCCAbIwGAYJKoZIhvcNAQkDMQsGCSqGSib3DQEHATAcBgkqhki  
G  
9w0BCQUxDxcNMTQwMjA2MTMxOTM2WjAjBgkqhkiG9w0BCQQxfgQU/oJCnC+1oZI49S5idDxHhLC7  
Dh4wZwYJKoZIhvcNAQkPMVowWDAKBgggqhkIG9w0DBzAObgggqhkIG9w0DAgICAIAwDQYIKoZIhvcN  
AwICAUAwBwYFKw4DAgcwDQYIKoZIhvcNAwICASgwBwYFKw4DAhowCgYIKoZIhvcNAgUwCwYJKwY  
B  
BAGCNxAEMWYwZDBdMQswCQYDVQQGEwJVUzEYMBYGA1UEChMPVS5TLiBhb3Zlcm5tZW50MQ  
wwCgYD  
VQQLEwNEb0QxDDAKBgNVBAStA1BLSTEYMBYGA1UEAxMPRE9EIEVNQUIMIENBLTMwAgNAz7Ew  
dQYL  
KoZIhvcNAQkQAgsxZqBkMF0xCzAJBgNVBAYTAiVTRGwFgYDVQQKEw9VLIMulEdvdmVybm1lbnQx  
DDAKBgNVBAStA0RvRDEMMMAoGA1UECxMDUEtJMRgwFgYDVQQDEw9ET0QgRU1BSUwgQ0EtMzAw  
CA0DP  
sTANBgkqhkiG9w0BAQEFAASCAQADG+h4cQDB8Mi9Uk2CgNsZ/iePAqxb2SceSfCIM4UGKdhRw1Cz  
IKGy3MBSBrnypKap+IX7ZJUY3o4ULUPZRF2X9MJucjA0qCzNSEFNtOdFCh3JFyv4CDmojsaxkXmV  
V/0j+V2O2E+deVd80u+HihgSxoetFiGAmEyGKyB8GB9GHJdKJpyWX/Z8I3bjWA00dXJPJTVI8ong  
CdPaFn4jOBretfXs15JLljkv/8HgGC9C11cH5TqLtYDbLGw0bLS8hWF+LEZKwfc2wuH9IAUfYT4  
IBDzHA0ng7VvR+UpyB8CAHvxW02ftyMxTfKfyPOI1pUsBZhX4auQEePLRMeCUYyMAAAAAAAAA

-----\_NextPart\_000\_0008\_01CF2314.2C415170--